Vermonter Poll The Center for Rural Studies 207 Morrill Hall The University of Vermont
Burlington, Vermont 05405 (802) 656-3021

Findings

Use of Ingredients

Respondents were asked “Of the past seven days, when preparing dinner, how many days did you work with the following items?” The frequency, percentage, and measures of

Table 1c.

Canned Food		
	Frequency	Percent
0	125	22
1	122	21
2	99	17
3	104	18
4	47	8
5	27	5
6	12	2
7	45	8

(n=581)

Mean	2.31
Median	2.00
Mode	0

Table 1d.

Convenience food such as pre-prepared meals that just need to be heated		
	Frequency	Percent
0	320	55
1	119	21
2	76	13
3	26	5
4	16	3
5	11	2
6	1	0.2
7	12	2

(n=581)

Mean	0.59
Median	0.00
Mode	0

Table 1e.

Boxed meals such as macaroni and cheese?		
	Frequency	Percent
0	392	67
1	109	19
2	42	7
3	22	4
4	8	1
5	3	1
6	2	0.3
7	4	1

(n=582)

Mean	0.59
Median	0.00
Mode	0

Use of Meal Preparation Methods

In addition to types of ingredients that people use, respondents were also asked "Of the past seven days, when preparing dinner, how many days did you use the following cooking methods?" Table 5 shows that the most commonly used meal preparation method used an average of 3.6 days a week is dicing or chopping foods. This is followed by boiling water (average of 3.4 times per week), simmering foods (average of 2.6 times per week) and microwaving foods (average of 2 times per week). Lesser used methods including sautéing, steaming, roasting, and slow cooking foods. The frequency, percentages and measures of central tendencies for each ingredient type are presented in Tables 5a-5h in the order in which the methods were asked on the survey.

Table 5. Means comparison of use of preparation methods from 0 to 7 days in a given week

	Mean	**Std. Deviation**	**N**
Diced or chopped	3.6	2.326	575
Boiled water	3.4	2.254	574
Simmered foods such as rice or soup	2.6	1.784	574
Microwaved food	2.1	2.476	575
Sautéed foods	1.9	1.752	576
Steamed foods	1.9	2.053	578
Roasted foods	1.2	1.386	575
Slow cooked foods	1.2	1.581	571

Table 5a.

Boiled water		
	Frequency	Percent
0	58	10
1	70	12
2	103	18
3	101	18
4	71	12
5	51	9
6	15	3
7	105	18

(n=574)

Mean	3.39
Median	3.00
Mode	7

Table 5b.

Steamed foods		
	Frequency	Percent
0	224	39

Table 5h.

Simmered foods such as rice or soup		
	Frequency	Percent
0	64	11
1	98	17
2	149	26
3	113	20
4	68	12
5	40	7
6	14	2
7	28	5

Mean	2.59
Median	2.00
Mode	2

Appendix A. List of Questions asked on Vermonter Poll II

Q: q32 **********
The next questions are about food and food security.

Of the past seven days, when preparing dinner, how many days did you work with the following items?